



**ES SERIES MAGNETO AND IGNITION HARNESS
APPLICATION BY ENGINE MODEL**

CONTINENTAL

| ENGINE MODEL | NOTES | LEFT MAGNETO | RIGHT MAGNETO | SPARK PLUG SIZE | COMPLETE HARNESS Left & Right + Hardware Kit |
|---------------------|----------------------------------|---------------------|----------------------|------------------------|---|
| A-65-1 | Left Impulse, Left Gear Included | ES4333 | ES4302 | 5/8-24 | X |
| A-65-1 | Both Impulse, Gears Included | ES4333 | ES4333 | 5/8-24 | X |
| A-65-1 | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12351 |
| A-65-3 | Left Impulse, Left Gear Included | ES4333 | ES4302 | 5/8-24 | X |
| A-65-3 | Both Impulse, Gears Included | ES4333 | ES4333 | 5/8-24 | X |
| A-65-3 | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12351 |
| A-65-6 | Left Impulse, Left Gear Included | ES4333 | ES4302 | 5/8-24 | X |
| A-65-6 | Both Impulse, Gears Included | ES4333 | ES4333 | 5/8-24 | X |
| A-65-6 | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12351 |
| A-65-6J | Left Impulse, Left Gear Included | ES4333 | ES4302 | 5/8-24 | X |
| A-65-6J | Both Impulse, Gears Included | ES4333 | ES4333 | 5/8-24 | X |
| A-65-6J | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12351 |
| A-65-7 | Left Impulse, Left Gear Included | ES4333 | ES4302 | 5/8-24 | X |
| A-65-7 | Both Impulse, Gears Included | ES4333 | ES4333 | 5/8-24 | X |
| A-65-7 | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12351 |
| A-65-8 | Left Impulse, Left Gear Included | ES4333 | ES4302 | 5/8-24 | KA12045 |
| A-65-8 | Both Impulse, Gears Included | ES4333 | ES4333 | 5/8-24 | KA12045 |
| A-65-8 | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12351 |

**C
O
N
T
I
N
E
N
T
A
L**

**C
O
N
T
I
N
E
N
T
A
L**

ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL

CONTINENTAL

| ENGINE MODEL | NOTES | LEFT MAGNETO | RIGHT MAGNETO | SPARK PLUG SIZE | COMPLETE HARNESS Left & Right + Hardware Kit |
|--------------|----------------------------------|---------------|---------------|-----------------|---|
| A-65-8F | Left Impulse, Left Gear Included | ES4333 | ES4302 | 5/8-24 | X |
| A-65-8F | Both Impulse, Gears Included | ES4333 | ES4333 | 5/8-24 | X |
| A-65-8F | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12351 |
| A-65-8FJ | Left Impulse, Left Gear Included | ES4333 | ES4302 | 5/8-24 | X |
| A-65-8FJ | Both Impulse, Gears Included | ES4333 | ES4333 | 5/8-24 | X |
| A-65-8FJ | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12351 |
| A-65-8J | Left Impulse, Left Gear Included | ES4333 | ES4302 | 5/8-24 | X |
| A-65-8J | Both Impulse, Gears Included | ES4333 | ES4333 | 5/8-24 | X |
| A-65-8J | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12351 |
| A-65-9 | No Impulse | ES4302 | ES4302 | 5/8-24 | X |
| A-65-9 | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12351 |
| A-65-9F | No Impulse | ES4302 | ES4302 | 5/8-24 | X |
| A-65-9F | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12351 |
| A-65-9FJ | No Impulse | ES4302 | ES4302 | 5/8-24 | X |
| A-65-9FJ | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12351 |
| A-65-9J | No Impulse | ES4302 | ES4302 | 5/8-24 | X |
| A-65-9J | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12351 |
| A-65-12 | | S-20/S-200 | S-20/S-200 | 5/8-24 | KA12007 |
| A-65-12F | | S-20/S-200 | S-20/S-200 | 5/8-24 | KA12007 |
| A-65-12FJ | | S-20/S-200 | S-20/S-200 | 5/8-24 | KA12007 |

ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL

CONTINENTAL

| ENGINE MODEL | NOTES | LEFT MAGNETO | RIGHT MAGNETO | SPARK PLUG SIZE | COMPLETE HARNESS Left & Right + Hardware Kit |
|--------------|----------------------------------|---------------|---------------|-----------------|---|
| A-65-12J | | S-20/S-200 | S-20/S-200 | 5/8-24 | KA12007 |
| A75-3 | Left Impulse, Left Gear Included | ES4333 | ES4302 | 5/8-24 | X |
| A75-3 | Both Impulse, Gears Included | ES4333 | ES4333 | 5/8-24 | X |
| A75-6 | Left Impulse, Left Gear Included | ES4333 | ES4302 | 5/8-24 | X |
| A75-6 | Both Impulse, Gears Included | ES4333 | ES4333 | 5/8-24 | X |
| A75-6 | Left Impulse, Left Gear Included | ES4333 | ES4302 | 5/8-24 | X |
| A75-6J | Both Impulse, Gears Included | ES4333 | ES4333 | 5/8-24 | X |
| A75-8 | Left Impulse, Left Gear Included | ES4333 | ES4302 | 5/8-24 | X |
| A75-8 | Both Impulse, Gears Included | ES4333 | ES4333 | 5/8-24 | X |
| A75-8F | Left Impulse, Left Gear Included | ES4333 | ES4302 | 5/8-24 | X |
| A75-8F | Both Impulse, Gears Included | ES4333 | ES4333 | 5/8-24 | X |
| A75-8FJ | Left Impulse, Left Gear Included | ES4333 | ES4302 | 5/8-24 | X |
| A75-8FJ | Both Impulse, Gears Included | ES4333 | ES4333 | 5/8-24 | X |
| A75-8J | Left Impulse, Left Gear Included | ES4333 | ES4302 | 5/8-24 | X |
| A75-8J | Both Impulse, Gears Included | ES4333 | ES4333 | 5/8-24 | X |
| A75-9 | No Impulse | ES4302 | ES4302 | 5/8-24 | X |

ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL

CONTINENTAL

| ENGINE MODEL | NOTES | LEFT MAGNETO | RIGHT MAGNETO | SPARK PLUG SIZE | COMPLETE HARNESS Left & Right + Hardware Kit |
|---------------------|---------------------------------|---------------------|----------------------|------------------------|---|
| A75-9J | No Impulse | ES4302 | ES4302 | 5/8-24 | X |
| C75-8 | Both Impulse, Gears Included | ES4333 | ES4333 | 5/8-24 | KA12045 |
| C75-8 | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12351 |
| C75-8F | Both Impulse, Gears Included | ES4333 | ES4333 | 5/8-24 | KA12045 |
| C75-8F | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12351 |
| C75-8FH | Both Impulse, Gears Included | ES4333 | ES4333 | 5/8-24 | KA12045 |
| C75-8FH | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12351 |
| C75-8FHJ | Both Impulse, Gears Included | ES4333 | ES4333 | 5/8-24 | KA12045 |
| C75-8FHJ | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12351 |
| C75-8FJ | Both Impulse, Gears Included | ES4333 | ES4333 | 5/8-24 | KA12045 |
| C75-8FJ | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12351 |
| C75-8J | Both Impulse, Gears Included | ES4333 | ES4333 | 5/8-24 | KA12045 |
| C75-8J | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12351 |
| C75-12 | | ES4301 | ES4301 | 5/8-24 | KA11780 |
| C75-12 | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12007 |
| C75-12F | | ES4301 | ES4301 | 5/8-24 | KA11780 |
| C75-12F | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12007 |
| C75-12FH | | ES4301 | ES4301 | 5/8-24 | KA11780 |
| C75-12FH | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12007 |
| C75-12FHJ | | ES4301 | ES4301 | 5/8-24 | KA11780 |
| C75-12FHJ | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12007 |

**C
O
N
T
I
N
E
N
T
A
L**

**C
O
N
T
I
N
E
N
T
A
L**

ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL

CONTINENTAL

| ENGINE MODEL | NOTES | LEFT MAGNETO | RIGHT MAGNETO | SPARK PLUG SIZE | COMPLETE HARNESS Left & Right + Hardware Kit |
|--------------|----------------------------------|--------------|---------------|-----------------|---|
| C75-12FJ | | ES4301 | ES4301 | 5/8-24 | KA11780 |
| C75-12FJ | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12007 |
| | | | | | |
| C75-12J | | ES4301 | ES4301 | 5/8-24 | KA11780 |
| C75-12J | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12007 |
| | | | | | |
| C75-15 | | ES4301 | ES4301 | 5/8-24 | KA11780 |
| C75-15 | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12007 |
| | | | | | |
| C75-15F | | ES4301 | ES4301 | 5/8-24 | KA11780 |
| C75-15F | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12007 |
| | | | | | |
| C85-8 | Left Impulse, Left Gear Included | ES4333 | ES4302 | 5/8-24 | KA12045 |
| C85-8 | Both Impulse, Gears Included | ES4333 | ES4333 | 5/8-24 | KA12045 |
| C85-8 | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12351 |
| | | | | | |
| C85-8F | Left Impulse, Left Gear Included | ES4333 | ES4302 | 5/8-24 | X |
| C85-8F | Both Impulse, Gears Included | ES4333 | ES4333 | 5/8-24 | X |
| C85-8F | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12351 |
| | | | | | |
| C85-8FHJ | Left Impulse, Left Gear Included | ES4333 | ES4302 | 5/8-24 | X |
| C85-8FHJ | Both Impulse, Gears Included | ES4333 | ES4333 | 5/8-24 | X |
| C85-8FHJ | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12351 |
| | | | | | |
| C85-8FJ | Left Impulse, Left Gear Included | ES4333 | ES4302 | 5/8-24 | X |
| C85-8FJ | Both Impulse, Gears Included | ES4333 | ES4333 | 5/8-24 | X |
| C85-8FJ | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12351 |
| | | | | | |

ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL

CONTINENTAL

| ENGINE MODEL | NOTES | LEFT MAGNETO | RIGHT MAGNETO | SPARK PLUG SIZE | COMPLETE HARNESS Left & Right + Hardware Kit |
|---------------------|----------------------------------|---------------------|----------------------|------------------------|---|
| C85-8J | Left Impulse, Left Gear Included | ES4333 | ES4302 | 5/8-24 | X |
| C85-8J | Both Impulse, Gears Included | ES4333 | ES4333 | 5/8-24 | X |
| C85-8J | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12351 |
| C85-12 | | ES4301 | ES4301 | 5/8-24 | KA11780 |
| C85-12 | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12007 |
| C85-12F | | ES4301 | ES4301 | 5/8-24 | KA11780 |
| C85-12F | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12007 |
| C85-12FH | | ES4301 | ES4301 | 5/8-24 | KA11780 |
| C85-12FH | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12007 |
| C85-12FHJ | | ES4301 | ES4301 | 5/8-24 | KA11780 |
| C85-12FHJ | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12007 |
| C85-12FJ | | ES4301 | ES4301 | 5/8-24 | KA11780 |
| C85-12FJ | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12007 |
| C85-12FJ | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12007 |
| C85-12J | | ES4301 | ES4301 | 5/8-24 | KA11780 |
| C85-12J | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12007 |
| C85-14 | | ES4301 | ES4301 | 5/8-24 | KA11780 |
| C85-14 | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12007 |
| C85-14F | | ES4301 | ES4301 | 5/8-24 | KA11780 |
| C85-14F | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12007 |
| C85-15 | | ES4301 | ES4301 | 5/8-24 | KA11780 |
| C85-15 | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12007 |

**C
O
N
T
I
N
E
N
T
A
L**

**C
O
N
T
I
N
E
N
T
A
L**

ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL

CONTINENTAL

| ENGINE MODEL | NOTES | LEFT MAGNETO | RIGHT MAGNETO | SPARK PLUG SIZE | COMPLETE HARNESS Left & Right + Hardware Kit |
|--------------|----------------------------------|--------------|---------------|-----------------|---|
| C85-15F | | ES4301 | ES4301 | 5/8-24 | KA11780 |
| C85-15F | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12007 |
| | | | | | |
| C90-8F | Left Impulse, Left Gear Included | ES4333 | ES4302 | 5/8-24 | X |
| C90-8F | Both Impulse, Gears Included | ES4333 | ES4333 | 5/8-24 | X |
| C90-8F | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12351 |
| | | | | | |
| C90-8FJ | Left Impulse, Left Gear Included | ES4333 | ES4302 | 5/8-24 | X |
| C90-8FJ | Both Impulse, Gears Included | ES4333 | ES4333 | 5/8-24 | X |
| C90-8FJ | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12351 |
| | | | | | |
| C90-12F | | ES4301 | ES4301 | 5/8-24 | KA11780 |
| C90-12F | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12007 |
| | | | | | |
| C90-12FH | | ES4301 | ES4301 | 5/8-24 | KA11780 |
| C90-12FH | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12007 |
| | | | | | |
| C90-12FJ | | ES4301 | ES4301 | 5/8-24 | KA11780 |
| C90-12FJ | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12007 |
| | | | | | |
| C90-12FP | | ES4301 | ES4301 | 5/8-24 | KA11780 |
| C90-12FP | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12007 |
| | | | | | |
| C90-14F | | ES4301 | ES4301 | 5/8-24 | KA11780 |
| C90-14F | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12007 |
| | | | | | |
| C90-14FH | | ES4301 | ES4301 | 5/8-24 | KA11780 |
| C90-14FH | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12007 |
| | | | | | |
| C90-14FJ | | ES4301 | ES4301 | 5/8-24 | KA11780 |
| C90-12FJ | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12007 |
| | | | | | |

ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL

CONTINENTAL

| ENGINE MODEL | NOTES | LEFT MAGNETO | RIGHT MAGNETO | SPARK PLUG SIZE | COMPLETE HARNESS Left & Right + Hardware Kit |
|---------------------|--------------|---------------------|----------------------|------------------------|---|
| C90-16F | | ES4301 | ES4301 | 5/8-24 | KA11780 |
| C90-16F | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12007 |
| | | | | | |
| RR C90-12F | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12007 |
| | | | | | |
| RR C90-12FH | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12007 |
| | | | | | |
| RR C90-12FJ | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12007 |
| | | | | | |
| RR C90-12FP | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12007 |
| | | | | | |
| RR C90-14F | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12007 |
| | | | | | |
| RR C90-14FH | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12007 |
| | | | | | |
| RR C90-14F | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12007 |
| | | | | | |
| RR C90-14FJ | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12007 |
| | | | | | |
| RR C90-16F | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12007 |
| | | | | | |
| A100-1 | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12130 |
| | | | | | |
| A100-2 | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12130 |
| | | | | | |
| C-125-2 | | ES6364 | ES6364 | 5/8-24 | KA12932 |
| C-125-2 | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12130 |
| | | | | | |
| C-145-2 | | ES6364 | ES6364 | 5/8-24 | KA12932 |
| C-145-2 | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12130 |
| | | | | | |
| C-145-2H | | ES6364 | ES6364 | 5/8-24 | KA12932 |
| C-145-2H | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12130 |
| | | | | | |

ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL

CONTINENTAL

| ENGINE MODEL | NOTES | LEFT MAGNETO | RIGHT MAGNETO | SPARK PLUG SIZE | COMPLETE HARNESS Left & Right + Hardware Kit |
|---------------------|--------------|---------------------|----------------------|------------------------|---|
| C-145-2HP | | ES6364 | ES6364 | 5/8-24 | KA12932 |
| C-145-2HP | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12130 |
| | | | | | |
| E-165-2 | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12176 |
| | | | | | |
| E-165-3 | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12176 |
| | | | | | |
| E-165-4 | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12176 |
| | | | | | |
| E-185-1 | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12176 |
| | | | | | |
| E-185-2 | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12176 |
| | | | | | |
| E-185-3 | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12176 |
| | | | | | |
| E-185-5 | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12176 |
| | | | | | |
| E-185-8 | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12176 |
| | | | | | |
| E-185-9 | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12176 |
| | | | | | |
| E-185-10 | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12176 |
| | | | | | |
| E-185-11 | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12176 |
| | | | | | |
| O-200-A | | ES4301 | ES4301 | 5/8-24 | KA11780 |
| O-200-A | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12007 |
| | | | | | |
| O-200-B | | ES4301 | ES4301 | 5/8-24 | KA11780 |
| O-200-B | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12007 |
| | | | | | |
| O-200-C | | ES4301 | ES4301 | 5/8-24 | KA11780 |
| O-200-C | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12007 |
| | | | | | |

ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL

CONTINENTAL

| ENGINE MODEL | NOTES | LEFT MAGNETO | RIGHT MAGNETO | SPARK PLUG SIZE | COMPLETE HARNESS Left & Right + Hardware Kit |
|---------------------|--------------|---------------------|----------------------|------------------------|---|
| RR-O-200-A | | ES4300 | ES4300 | 5/8-24 | KA11780 |
| RR O-200-A | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12007 |
| RR-O-200-B | | ES4300 | ES4300 | 5/8-24 | KA11780 |
| RR O-200-B | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12007 |
| RR-O-200-C | | ES4300 | ES4300 | 5/8-24 | KA11780 |
| RR O-200-C | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12007 |
| RR-O-240-A | | ES4300 | ES4300 | 5/8-24 | KA11780 |
| RR O-240-A | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12007 |
| IO-240-A | Left Retard | ES4310 | ES4309 | 3/4-20 | KA14045 |
| IO-240-B | Left Retard | ES4310 | ES4309 | 3/4-20 | X |
| E-225-2 | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12176 |
| E-225-4 | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12176 |
| E-225-8 | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12176 |
| E-225-9 | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12176 |
| GO-300-A | | ES6367 | ES6367 | 5/8-24 | KA12938 |
| GO-300-B | | ES6367 | ES6367 | 5/8-24 | KA12938 |
| GO-300-C | | ES6367 | ES6367 | 5/8-24 | KA12938 |
| GO-300-D | | ES6367 | ES6367 | 5/8-24 | KA12938 |
| GO-300-E | | ES6367 | ES6367 | 5/8-24 | KA12938 |

**C
O
N
T
I
N
E
N
T
A
L**

**C
O
N
T
I
N
E
N
T
A
L**

ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL

CONTINENTAL

| ENGINE MODEL | NOTES | LEFT MAGNETO | RIGHT MAGNETO | SPARK PLUG SIZE | COMPLETE HARNESS Left & Right + Hardware Kit |
|---------------------|--------------------------------|---------------------|----------------------|------------------------|---|
| O-300-A | | ES6364 | ES6364 | 5/8-24 | KA12932 |
| O-300-A | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12130 |
| | | | | | |
| O-300-B | | ES6364 | ES6364 | 5/8-24 | KA12932 |
| O-300-B | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12130 |
| | | | | | |
| O-300-C | | ES6364 | ES6364 | 5/8-24 | KA12932 |
| O-300-C | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12130 |
| | | | | | |
| O-300-D | | ES6364 | ES6364 | 5/8-24 | KA12932 |
| O-300-D | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12130 |
| | | | | | |
| O-300-E | | ES6364 | ES6364 | 5/8-24 | KA12932 |
| O-300-E | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12130 |
| | | | | | |
| RR O-300-A | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12130 |
| | | | | | |
| RR O-300-B | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12130 |
| | | | | | |
| RR O-300-C | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12130 |
| | | | | | |
| RR O-300-D | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12130 |
| | | | | | |
| IO-360-A | Alternate Tach Source Required | ES6314 | ES6314 | 3/4-20 | KA12778 |
| IO-360-A | | S-20 S-200 | S-20 S-200 | 3/4-20 | KA12015 |
| | | | | | |
| IO-360-B | | ES6314 | ES6314 | 3/4-20 | KA12778 |
| IO-360-B | | S-20 S-200 | S-20 S-200 | 3/4-20 | KA12015 |
| | | | | | |
| IO-360-C | Alternate Tach Source Required | ES6314 | ES6314 | 3/4-20 | KA12778 |
| IO-360-C | | S-20 S-200 | S-20 S-200 | 3/4-20 | KA12015 |
| | | | | | |

**C
O
N
T
I
N
E
N
T
A
L**

**C
O
N
T
I
N
E
N
T
A
L**

ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL

CONTINENTAL

| ENGINE MODEL | NOTES | LEFT MAGNETO | RIGHT MAGNETO | SPARK PLUG SIZE | COMPLETE HARNESS Left & Right + Hardware Kit |
|---------------------|---------------------------------|---------------------|----------------------|------------------------|---|
| IO-360-CB | Alternate Tach Source Required | ES6314 | ES6314 | 3/4-20 | KA12778 |
| IO-360-CB | | S-20 S-200 | S-20 S-200 | 3/4-20 | KA12015 |
| IO-360-D | Alternate Tach Source Required | ES6314 | ES6314 | 3/4-20 | KA12778 |
| IO-360-D | | S-20 S-200 | S-20 S-200 | 3/4-20 | KA12015 |
| IO-360-DB | Alternate Tach Source Required | ES6314 | ES6314 | 3/4-20 | KA12778 |
| IO-360-DB | | S-20 S-200 | S-20 S-200 | 3/4-20 | KA12015 |
| IO-360-ES | Specs Other Than 16, 21, 22, 25 | ES6314 | ES6314 | 3/4-20 | KA12778 |
| IO-360-ES | Specs 16, 21, 22, 25 Only | ES6314 | ES6314 | 3/4-20 | X |
| IO-360-ES | Specs Other Than 16, 21, 22, 25 | S-20 S-200 | S-20 S-200 | 3/4-20 | KA12015 |
| IO-360-G | Alternate Tach Source Required | ES6314 | ES6314 | 3/4-20 | KA12778 |
| IO-360-G | | S-20 S-200 | S-20 S-200 | 3/4-20 | KA12015 |
| IO-360-GB | Alternate Tach Source Required | ES6314 | ES6314 | 3/4-20 | KA12778 |
| IO-360-GB | | S-20 S-200 | S-20 S-200 | 3/4-20 | KA12015 |
| IO-360-H | | ES6314 | ES6314 | 3/4-20 | KA12778 |
| IO-360-H | | S-20 S-200 | S-20 S-200 | 3/4-20 | KA12015 |
| IO-360-HB | | ES6314 | ES6314 | 3/4-20 | KA12778 |
| IO-360-HB | | S-20 S-200 | S-20 S-200 | 3/4-20 | KA12015 |
| IO-360-J | | ES6314 | ES6314 | 3/4-20 | KA12778 |
| IO-360-J | | S-20 S-200 | S-20 S-200 | 3/4-20 | KA12015 |

ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL

CONTINENTAL

| ENGINE MODEL | NOTES | LEFT MAGNETO | RIGHT MAGNETO | SPARK PLUG SIZE | COMPLETE HARNESS Left & Right + Hardware Kit |
|--------------|---|--------------|---------------|-----------------|---|
| IO-360-JB | | ES6314 | ES6314 | 3/4-20 | KA12778 |
| IO-360-JB | | S-20 S-200 | S-20 S-200 | 3/4-20 | KA12015 |
| IO-360-K | | ES6314 | ES6314 | 3/4-20 | KA12778 |
| IO-360-K | | S-20 S-200 | S-20 S-200 | 3/4-20 | KA12015 |
| IO-360-KB | | ES6314 | ES6314 | 3/4-20 | KA12778 |
| IO-360-KB | | S-20 S-200 | S-20 S-200 | 3/4-20 | KA12015 |
| LTSIO-360-E | Magnetos must connect to Pressurization | ES6320 | ES6320 | 3/4-20 | KA12778 |
| LTSIO-360-E | | S-20 S-200 | S-20 S-200 | 3/4-20 | KA12015 |
| LTSIO-360-EB | Magnetos must connect to Pressurization | ES6320 | ES6320 | 3/4-20 | KA12778 |
| LTSIO-360-EB | | S-20 S-200 | S-20 S-200 | 3/4-20 | KA12015 |
| LTSIO-360-KB | Magnetos must connect to Pressurization | ES6320 | ES6320 | 3/4-20 | KA12778 |
| LTSIO-360-KB | | S-20 S-200 | S-20 S-200 | 3/4-20 | KA12015 |
| LTSIO-360-RB | Magnetos must connect to Pressurization | ES6320 | ES6320 | 3/4-20 | X |
| TSIO-360-A | Alternate Tach Source Required | ES6314 | ES6314 | 3/4-20 | KA12778 |
| TSIO-360-A | | S-20 S-200 | S-20 S-200 | 3/4-20 | KA12015 |
| TSIO-360-AB | Alternate Tach Source Required | ES6314 | ES6314 | 3/4-20 | KA12778 |
| TSIO-360-AB | | S-20 S-200 | S-20 S-200 | 3/4-20 | KA12015 |

ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL

CONTINENTAL

| ENGINE MODEL | NOTES | LEFT MAGNETO | RIGHT MAGNETO | SPARK PLUG SIZE | COMPLETE HARNESS Left & Right + Hardware Kit |
|---------------------|---|---------------------|----------------------|------------------------|---|
| TSIO-360-B | Alternate Tach Source Required | ES6314 | ES6314 | 3/4-20 | KA12778 |
| TSIO-360-B | | S-20 S-200 | S-20 S-200 | 3/4-20 | KA12015 |
| TSIO-360-C | Alternate Tach Source Required | ES6314 | ES6314 | 3/4-20 | KA12778 |
| TSIO-360-C | | S-20 S-200 | S-20 S-200 | 3/4-20 | KA12015 |
| TSIO-360-CB | Alternate Tach Source Required | ES6314 | ES6314 | 3/4-20 | KA12778 |
| TSIO-360-CB | | S-20 S-200 | S-20 S-200 | 3/4-20 | KA12015 |
| TSIO-360-D | Alternate Tach Source Required | ES6314 | ES6314 | 3/4-20 | KA12778 |
| TSIO-360-D | | S-20 S-200 | S-20 S-200 | 3/4-20 | KA12015 |
| TSIO-360-DB | Alternate Tach Source Required | ES6314 | ES6314 | 3/4-20 | KA12778 |
| TSIO-360-DB | | S-20 S-200 | S-20 S-200 | 3/4-20 | KA12015 |
| TSIO-360-E | | ES6314 | ES6314 | 3/4-20 | KA12778 |
| TSIO-360-E | Magnetos must connect to Pressurization | ES6324 | ES6324 | 3/4-20 | KA12778 |
| TSIO-360-E | | S-20 S-200 | S-20 S-200 | 3/4-20 | KA12015 |
| TSIO-360-EB | | ES6314 | ES6314 | 3/4-20 | KA12778 |
| TSIO-360-EB | Magnetos must connect to Pressurization | ES6324 | ES6324 | 3/4-20 | KA12778 |
| TSIO-360-EB | | S-20 S-200 | S-20 S-200 | 3/4-20 | KA12015 |
| TSIO-360-F | | ES6314 | ES6314 | 3/4-20 | KA12778 |
| TSIO-360-F | Magnetos must connect to Pressurization | ES6324 | ES6324 | 3/4-20 | KA12778 |
| TSIO-360-F | | S-20 S-200 | S-20 S-200 | 3/4-20 | KA12015 |

ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL

CONTINENTAL

| ENGINE MODEL | NOTES | LEFT MAGNETO | RIGHT MAGNETO | SPARK PLUG SIZE | COMPLETE HARNESS Left & Right + Hardware Kit |
|--------------|---|--------------|---------------|-----------------|---|
| TSIO-360-FB | | ES6314 | ES6314 | 3/4-20 | KA12778 |
| TSIO-360-FB | Magnetos must connect to Pressurization | ES6324 | ES6324 | 3/4-20 | KA12778 |
| TSIO-360-FB | | S-20 S-200 | S-20 S-200 | 3/4-20 | KA12015 |
| TSIO-360-FB | | | | | |
| TSIO-360-GB | | ES6314 | ES6314 | 3/4-20 | X |
| TSIO-360-GB | | S-20 S-200 | S-20 S-200 | 3/4-20 | KA12015 |
| TSIO-360-GB | | | | | |
| TSIO-360-H | Alternate Tach Source Required | ES6314 | ES6314 | 3/4-20 | KA12778 |
| TSIO-360-H | | S-20 S-200 | S-20 S-200 | 3/4-20 | KA12015 |
| TSIO-360-H | | | | | |
| TSIO-360-HB | Alternate Tach Source Required | ES6314 | ES6314 | 3/4-20 | KA12778 |
| TSIO-360-HB | | S-20 S-200 | S-20 S-200 | 3/4-20 | KA12015 |
| TSIO-360-HB | | | | | |
| TSIO-360-JB | Alternate Tach Source Required | ES6314 | ES6314 | 3/4-20 | KA12778 |
| TSIO-360-JB | | S-20 S-200 | S-20 S-200 | 3/4-20 | KA12015 |
| TSIO-360-JB | | | | | |
| TSIO-360-KB | Magnetos must connect to Pressurization | ES6324 | ES6324 | 3/4-20 | KA12778 |
| TSIO-360-KB | | S-20 S-200 | S-20 S-200 | 3/4-20 | KA12015 |
| TSIO-360-KB | | | | | |
| TSIO-360-LB | Magnetos must connect to Pressurization | ES6324 | ES6324 | 3/4-20 | KA12778 |
| TSIO-360-LB | | S-20 S-200 | S-20 S-200 | 3/4-20 | KA12015 |
| TSIO-360-LB | | | | | |
| TSIO-360-MB | Alternate Tach Source Required, Magnetos must connect to Pressurization | ES6324 | ES6324 | 3/4-20 | KA12778 |
| TSIO-360-MB | | S-20 S-200 | S-20 S-200 | 3/4-20 | KA12015 |
| TSIO-360-MB | | | | | |

ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL

CONTINENTAL

| ENGINE MODEL | NOTES | LEFT MAGNETO | RIGHT MAGNETO | SPARK PLUG SIZE | COMPLETE HARNESS Left & Right + Hardware Kit |
|---------------------|---|---------------------|----------------------|------------------------|---|
| TSIO-360-RB | Magnetos must connect to Pressurization | ES6324 | ES6324 | 3/4-20 | X |
| TSIO-360-SB | Magnetos must connect to Pressurization | ES6324 | ES6324 | 3/4-20 | KA12778 |
| TSIO-360-SB | | S-20 S-200 | S-20 S-200 | 3/4-20 | KA12015 |
| IO-370-CL | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12364 |
| IO-370-CM | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12364 |
| IO-370-C1F | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12364 |
| IO-370-DA3A | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12364 |
| IO-370-D3A | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12364 |
| GIO-470-A | | S-20 S-200 | S-20 S-200 | 3/4-20 | KA11730 |
| IO-470-C | | ES6310 | ES6310 | 5/8-24 | KA12828 |
| IO-470-C | | ES6310 | ES6310 | 3/4-20 | KA12381 |
| IO-470-C | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA11978 |
| IO-470-C | | S-20 S-200 | S-20 S-200 | 3/4-20 | KA11730 |
| IO-470-D | | ES6310 | ES6310 | 3/4-20 | KA12381 |
| IO-470-D | | S-20 S-200 | S-20 S-200 | 3/4-20 | KA11730 |
| IO-470-D | | S-1200 | S-1200 | 3/4-20 | KA11740 |
| IO-470-E | | ES6310 | ES6310 | 3/4-20 | KA12381 |
| IO-470-E | | S-20 S-200 | S-20 S-200 | 3/4-20 | KA11730 |
| IO-470-F | | ES6310 | ES6310 | 3/4-20 | KA12381 |
| IO-470-F | | S-20 S-200 | S-20 S-200 | 3/4-20 | KA11730 |
| IO-470-F | | S-1200 | S-1200 | 3/4-20 | KA11740 |

**ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL
CONTINENTAL**

ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL

CONTINENTAL

| ENGINE MODEL | NOTES | LEFT MAGNETO | RIGHT MAGNETO | SPARK PLUG SIZE | COMPLETE HARNESS Left & Right + Hardware Kit |
|---------------------|--------------|---------------------|----------------------|------------------------|---|
| IO-470-G | | ES6310 | ES6310 | 3/4-20 | KA12381 |
| IO-470-G | | S-20 S-200 | S-20 S-200 | 3/4-20 | KA11730 |
| | | | | | |
| IO-470-H | | ES6310 | ES6310 | 3/4-20 | KA12381 |
| IO-470-H | | S-20 S-200 | S-20 S-200 | 3/4-20 | KA11730 |
| | | | | | |
| IO-470-J | | ES6310 | ES6310 | 3/4-20 | KA12381 |
| IO-470-J | | S-1200 | S-1200 | 3/4-20 | KA11740 |
| | | | | | |
| IO-470-K | | ES6310 | ES6310 | 3/4-20 | KA12381 |
| IO-470-K | | S-20 S-200 | S-20 S-200 | 3/4-20 | KA11730 |
| IO-470-K | | S-1200 | S-1200 | 3/4-20 | KA11740 |
| | | | | | |
| IO-470-L | | ES6310 | ES6310 | 3/4-20 | KA12381 |
| IO-470-L | | S-20 S-200 | S-20 S-200 | 3/4-20 | KA11730 |
| IO-470-L | | S-1200 | S-1200 | 3/4-20 | KA11740 |
| | | | | | |
| IO-470-M | | ES6310 | ES6310 | 3/4-20 | KA12381 |
| IO-470-M | | S-20 S-200 | S-20 S-200 | 3/4-20 | KA11730 |
| | | | | | |
| IO-470-N | | ES6310 | ES6310 | 3/4-20 | KA12381 |
| IO-470-N | | S-20 S-200 | S-20 S-200 | 3/4-20 | KA11730 |
| IO-470-N | | S-1200 | S-1200 | 3/4-20 | KA11740 |
| | | | | | |
| IO-470-P | | ES6310 | ES6310 | 3/4-20 | KA12381 |
| IO-470-P | | S-20 S-200 | S-20 S-200 | 3/4-20 | KA11730 |
| | | | | | |
| IO-470-R | | ES6310 | ES6310 | 3/4-20 | KA12381 |
| IO-470-R | | S-20 S-200 | S-20 S-200 | 3/4-20 | KA11730 |
| | | | | | |
| IO-470-S | | ES6310 | ES6310 | 3/4-20 | KA12381 |
| IO-470-S | | S-20 S-200 | S-20 S-200 | 3/4-20 | KA11730 |
| IO-470-S | | S-1200 | S-1200 | 3/4-20 | KA11740 |
| | | | | | |

C
O
N
T
I
N
E
N
T
A
L

C
O
N
T
I
N
E
N
T
A
L

ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL

CONTINENTAL

| ENGINE MODEL | NOTES | LEFT MAGNETO | RIGHT MAGNETO | SPARK PLUG SIZE | COMPLETE HARNESS Left & Right + Hardware Kit |
|--------------|-------|--------------|---------------|-----------------|---|
| IO-470-U | | ES6310 | ES6310 | 3/4-20 | KA12381 |
| IO-470-U | | S-20 S-200 | S-20 S-200 | 3/4-20 | KA11730 |
| | | | | | |
| IO-470-V | | ES6310 | ES6310 | 3/4-20 | KA12381 |
| IO-470-V | | S-20 S-200 | S-20 S-200 | 3/4-20 | KA11730 |
| | | | | | |
| IO-470-VO | | ES6310 | ES6310 | 3/4-20 | KA12381 |
| IO-470-VO | | S-20 S-200 | S-20 S-200 | 3/4-20 | KA11730 |
| | | | | | |
| O-470-A | | ES6310 | ES6310 | 3/4-20 | KA12381 |
| O-470-A | | S-20 S-200 | S-20 S-200 | 3/4-20 | KA11730 |
| | | | | | |
| O-470-B | | ES6310 | ES6310 | 3/4-20 | KA12381 |
| O-470-B | | S-20 S-200 | S-20 S-200 | 3/4-20 | KA11730 |
| | | | | | |
| O-470-E | | ES6310 | ES6310 | 3/4-20 | KA12381 |
| O-470-E | | S-20 S-200 | S-20 S-200 | 3/4-20 | KA11730 |
| | | | | | |
| O-470-G | | ES6310 | ES6310 | 5/8-24 | KA12828 |
| O-470-G | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA11978 |
| | | | | | |
| O-470-G-CI | | ES6310 | ES6310 | 5/8-24 | KA12828 |
| O-470-G-CI | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA11978 |
| | | | | | |
| O-470-J | | ES6310 | ES6310 | 5/8-24 | KA12828 |
| O-470-J | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA11978 |
| | | | | | |
| O-470-K | | ES6310 | ES6310 | 5/8-24 | KA12828 |
| O-470-K | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA11978 |
| | | | | | |
| O-470-L | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA11978 |
| | | | | | |
| O-470-M | | ES6310 | ES6310 | 3/4-20 | KA12381 |
| O-470-M | | S-20 S-200 | S-20 S-200 | 3/4-20 | KA11730 |
| | | | | | |

ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL

CONTINENTAL

| ENGINE MODEL | NOTES | LEFT MAGNETO | RIGHT MAGNETO | SPARK PLUG SIZE | COMPLETE HARNESS Left & Right + Hardware Kit |
|---------------------|--------------|---------------------|----------------------|------------------------|---|
| O-470-P | | ES6310 | ES6310 | 3/4-20 | KA12381 |
| O-470-P | | S-20 S-200 | S-20 S-200 | 3/4-20 | KA11730 |
| | | | | | |
| O-470-R | | ES6310 | ES6310 | 3/4-20 | KA12381 |
| O-470-R | | S-20 S-200 | S-20 S-200 | 3/4-20 | KA11730 |
| O-470-R | | S-1200 | S-1200 | 3/4-20 | KA11740 |
| | | | | | |
| O-470-S | | ES6310 | ES6310 | 3/4-20 | KA12381 |
| O-470-S | | S-1200 | S-1200 | 3/4-20 | KA11740 |
| | | | | | |
| O-470-U | | ES6310 | ES6310 | 3/4-20 | KA12381 |
| O-470-U | | S-20 S-200 | S-20 S-200 | 3/4-20 | KA11730 |
| O-470-U | | S-1200 | S-1200 | 3/4-20 | KA11740 |
| | | | | | |
| O-470-2 | | S-20 S-200 | S-20 S-200 | 3/4-20 | KA11730 |
| | | | | | |
| O-470-4 | | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12176 |
| | | | | | |
| O-470-7A | See E185-3 | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12176 |
| | | | | | |
| O-470-7B | See E185-9 | S-20 S-200 | S-20 S-200 | 5/8-24 | KA12176 |
| | | | | | |
| TSIO-470-B | | S-20 S-200 | S-20 S-200 | 3/4-20 | KA11730 |
| | | | | | |
| TSIO-470-C | | S-20 S-200 | S-20 S-200 | 3/4-20 | KA11730 |
| | | | | | |
| TSIO-470-D | | S-20 S-200 | S-20 S-200 | 3/4-20 | KA11730 |
| | | | | | |
| GTSIO-520-D | | S-1200 | S-1200 | 3/4-20 | KA11950 |
| | | | | | |
| GTSIO-520-F | | S-1200 | S-1200 | 3/4-20 | KA11950 |
| | | | | | |
| GTSIO-520-H | | S-1200 | S-1200 | 3/4-20 | KA11950 |
| | | | | | |
| GTSIO-520-K | | S-1200 | S-1200 | 3/4-20 | KA11950 |
| | | | | | |

**C
O
N
T
I
N
E
N
T
A
L**

**C
O
N
T
I
N
E
N
T
A
L**

ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL

CONTINENTAL

| ENGINE MODEL | NOTES | LEFT MAGNETO | RIGHT MAGNETO | SPARK PLUG SIZE | COMPLETE HARNESS Left & Right + Hardware Kit |
|---------------------|--------------|---------------------|----------------------|------------------------|---|
| GTSIO-520-L | | S-1200 | S-1200 | 3/4-20 | KA11950 |
| GTSIO-520-M | | S-1200 | S-1200 | 3/4-20 | KA11950 |
| GTSIO-520-N | | S-1200 | S-1200 | 3/4-20 | KA11950 |
| GTSIO-520-S | | S-1200 | S-1200 | 3/4-20 | KA11950 |
| IO-520-A | | ES6310 | ES6310 | 3/4-20 | KA12381 |
| IO-520-A | | S-20 S-200 | S-20 S-200 | 3/4-20 | KA11730 |
| IO-520-A | | S-1200 | S-1200 | 3/4-20 | KA11740 |
| IO-520-B | | ES6310 | ES6310 | 3/4-20 | KA12381 |
| IO-520-B | | S-1200 | S-1200 | 3/4-20 | KA11740 |
| IO-520-BA | | ES6310 | ES6310 | 3/4-20 | KA12381 |
| IO-520-BA | | S-20 S-200 | S-20 S-200 | 3/4-20 | KA11730 |
| IO-520-BA | | S-1200 | S-1200 | 3/4-20 | KA11740 |
| IO-520-BB | | ES6310 | ES6310 | 3/4-20 | KA12381 |
| IO-520-BB | | S-20 S-200 | S-20 S-200 | 3/4-20 | KA11730 |
| IO-520-BB | | S-1200 | S-1200 | 3/4-20 | KA11740 |
| IO-520-C | | ES6310 | ES6310 | 3/4-20 | KA12381 |
| IO-520-C | | S-1200 | S-1200 | 3/4-20 | KA11740 |
| IO-520-CB | | ES6310 | ES6310 | 3/4-20 | KA12381 |
| IO-520-CB | | S-1200 | S-1200 | 3/4-20 | KA11740 |
| IO-520-D | | ES6310 | ES6310 | 3/4-20 | KA12381 |
| IO-520-D | | S-20 S-200 | S-20 S-200 | 3/4-20 | KA11730 |
| IO-520-D | | S-1200 | S-1200 | 3/4-20 | KA11740 |

ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL

CONTINENTAL

| ENGINE MODEL | NOTES | LEFT MAGNETO | RIGHT MAGNETO | SPARK PLUG SIZE | COMPLETE HARNESS Left & Right + Hardware Kit |
|---------------------|---------------------------------------|---------------------|----------------------|------------------------|---|
| IO-520-E | | ES6310 | ES6310 | 3/4-20 | KA12381 |
| IO-520-E | | S-20 S-200 | S-20 S-200 | 3/4-20 | KA11730 |
| IO-520-E | | S-1200 | S-1200 | 3/4-20 | KA11740 |
| IO-520-F | | ES6310 | ES6310 | 3/4-20 | KA12381 |
| IO-520-F | | S-20 S-200 | S-20 S-200 | 3/4-20 | KA11730 |
| IO-520-F | | S-1200 | S-1200 | 3/4-20 | KA11740 |
| IO-520-J | | ES6310 | ES6310 | 3/4-20 | KA12381 |
| IO-520-J | | S-1200 | S-1200 | 3/4-20 | KA11740 |
| IO-520-K | Alternate Tach Source May Be Required | ES6310 | ES6310 | 3/4-20 | KA12381 |
| IO-520-K | | S-20 S-200 | S-20 S-200 | 3/4-20 | KA11730 |
| IO-520-K | | S-1200 | S-1200 | 3/4-20 | KA11740 |
| IO-520-L | | ES6310 | ES6310 | 3/4-20 | KA12381 |
| IO-520-L | | S-20 S-200 | S-20 S-200 | 3/4-20 | KA11730 |
| IO-520-L | | S-1200 | S-1200 | 3/4-20 | KA11740 |
| IO-520-M | | ES6310 | ES6310 | 3/4-20 | KA12381 |
| IO-520-M | | S-20 S-200 | S-20 S-200 | 3/4-20 | KA11730 |
| IO-520-MB | | ES6310 | ES6310 | 3/4-20 | KA12381 |
| IO-520-MB | | S-20 S-200 | S-20 S-200 | 3/4-20 | KA11730 |
| IO-520-MB | | S-1200 | S-1200 | 3/4-20 | KA11740 |
| LTSIO-520-AE | | S-1200 | S-1200 | 3/4-20 | KA11740 |
| TSIO-520-AE | | S-1200 | S-1200 | 3/4-20 | KA11740 |
| TSIO-520-AF | | S-1200 | S-1200 | 3/4-20 | KA11740 |
| TSIO-520-B | | S-20 S-200 | S-20 S-200 | 3/4-20 | KA11730 |
| TSIO-520-B | | S-1200 | S-1200 | 3/4-20 | KA11740 |

ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL

CONTINENTAL

| ENGINE MODEL | NOTES | LEFT MAGNETO | RIGHT MAGNETO | SPARK PLUG SIZE | COMPLETE HARNESS Left & Right + Hardware Kit |
|--------------|--------------------------------|--------------|---------------|-----------------|--|
| TSIO-520-BB | | S-20 S-200 | S-20 S-200 | 3/4-20 | KA11730 |
| TSIO-520-BB | | S-1200 | S-1200 | 3/4-20 | KA11740 |
| TSIO-520-BE | Alternate Tach Source Required | ES6320 | ES6320 | 3/4-20 | X |
| TSIO-520-C | | S-20 S-200 | S-20 S-200 | 3/4-20 | KA11730 |
| TSIO-520-C | | S-1200 | S-1200 | 3/4-20 | KA11740 |
| TSIO-520-D | | S-1200 | S-1200 | 3/4-20 | KA11740 |
| TSIO-520-DB | | S-1200 | S-1200 | 3/4-20 | KA11740 |
| TSIO-520-E | | S-20 S-200 | S-20 S-200 | 3/4-20 | KA11730 |
| TSIO-520-EB | | S-20 S-200 | S-20 S-200 | 3/4-20 | KA11730 |
| TSIO-520-G | | S-1200 | S-1200 | 3/4-20 | KA11740 |
| TSIO-520-H | | S-1200 | S-1200 | 3/4-20 | KA11740 |
| TSIO-520-J | | S-1200 | S-1200 | 3/4-20 | KA11740 |
| TSIO-520-JB | | S-1200 | S-1200 | 3/4-20 | KA11740 |
| TSIO-520-K | | S-1200 | S-1200 | 3/4-20 | KA11740 |
| TSIO-520-KB | | S-1200 | S-1200 | 3/4-20 | KA11740 |
| TSIO-520-L | | S-1200 | S-1200 | 3/4-20 | KA11740 |
| TSIO-520-LB | | S-1200 | S-1200 | 3/4-20 | KA11740 |
| TSIO-520-M | | S-1200 | S-1200 | 3/4-20 | KA11740 |

CONTINENTAL

CONTINENTAL

ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL

CONTINENTAL

| | | | | | | |
|--|--|--|--|--|--|--|
| | | | | | | |
|--|--|--|--|--|--|--|

ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL

CONTINENTAL

| ENGINE MODEL | NOTES | LEFT MAGNETO | RIGHT MAGNETO | SPARK PLUG SIZE | COMPLETE HARNESS Left & Right + Hardware Kit |
|--------------|-------|--------------|---------------|-----------------|---|
| TSIO-520-N | | S-1200 | S-1200 | 3/4-20 | KA11740 |
| TSIO-520-NB | | S-1200 | S-1200 | 3/4-20 | KA11740 |
| TSIO-520-P | | S-1200 | S-1200 | 3/4-20 | KA11740 |
| TSIO-520-R | | S-1200 | S-1200 | 3/4-20 | KA11740 |
| TSIO-520-T | | ES6310 | ES6310 | 3/4-20 | KA12381 |
| TSIO-520-T | | S-1200 | S-1200 | 3/4-20 | KA11740 |
| TSIO-520-UB | | S-1200 | S-1200 | 3/4-20 | KA11740 |
| TSIO-520-VB | | S-20 S-200 | S-20 S-200 | 3/4-20 | KA11730 |
| TSIO-520-WB | | S-1200 | S-1200 | 3/4-20 | KA11740 |
| IO-550-A | | ES6310 | ES6310 | 3/4-20 | KA12381 |
| IO-550-A | | S-20 S-200 | S-20 S-200 | 3/4-20 | KA11730 |
| IO-550-A | | S-1200 | S-1200 | 3/4-20 | KA11740 |
| IO-550-B | | ES6310 | ES6310 | 3/4-20 | KA12381 |
| IO-550-B | | S-20 S-200 | S-20 S-200 | 3/4-20 | KA11730 |
| IO-550-B | | S-1200 | S-1200 | 3/4-20 | KA11740 |
| IO-550-C | | ES6310 | ES6310 | 3/4-20 | KA12381 |
| IO-550-C | | S-20 S-200 | S-20 S-200 | 3/4-20 | KA11730 |
| IO-550-C | | S-1200 | S-1200 | 3/4-20 | KA11740 |
| IO-550-D | | ES6310 | ES6310 | 3/4-20 | KA12381 |
| IO-550-D | | S-1200 | S-1200 | 3/4-20 | KA11740 |
| IO-550-E | | ES6310 | ES6310 | 3/4-20 | X |
| IO-550-E | | S-1200 | S-1200 | 3/4-20 | KA11740 |

ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL

CONTINENTAL

| ENGINE MODEL | NOTES | LEFT MAGNETO | RIGHT MAGNETO | SPARK PLUG SIZE | COMPLETE HARNESS Left & Right + Hardware Kit |
|--------------|---|--------------|---------------|-----------------|---|
| IO-550-F | | ES6310 | ES6310 | 3/4-20 | KA12381 |
| IO-550-F | | S-20 S-200 | S-20 S-200 | 3/4-20 | KA11730 |
| IO-550-F | | S-1200 | S-1200 | 3/4-20 | KA11740 |
| IO-550-G | | ES6310 | ES6310 | 3/4-20 | X |
| IO-550-L | | ES6310 | ES6310 | 3/4-20 | KA12381 |
| IO-550-L | | S-1200 | S-1200 | 3/4-20 | KA11740 |
| IO-550-N | Uses 11/16 Tach Port | ES6310 | ES6310 | 3/4-20 | X |
| IO-550-N | Specs 1, 6, 7, 8, 14, 17, 23, 24, 31, 35, 39, 41, 43, 45, 47, 49, 54, 55, 56, 58, 59, 63, 64, 65 Only | S-20 S-200 | S-20 S-200 | 3/4-20 | KA17425 |
| IO-550-P | | S-20 S-200 | S-20 S-200 | 3/4-20 | KA17425 |
| IO-550-R | | S-20 S-200 | S-20 S-200 | 3/4-20 | KA17425 |
| TSIO-550-A | Magnetos must connect to Pressurization | ES6320 | ES6320 | 3/4-20 | X |
| TSIO-550-C | Spec 6 Only | S-20 S-200 | S-20 S-200 | 3/4-20 | KA17425 |
| TSIO-550-E | Specs 1, 4, 9, 11, 12, 23 Only | S-20 S-200 | S-20 S-200 | 3/4-20 | KA17421 |
| TSIO-550-G | | S-20 S-200 | S-20 S-200 | 3/4-20 | KA17447 |
| TSIO-550-K | | S-20 S-200 | S-20 S-200 | 3/4-20 | KA17421 |
| TSIO-550-N | | S-20 S-200 | S-20 S-200 | 3/4-20 | KA17421 |
| TSIOL-550-A | | S-1200 | S-1200 | 3/4-20 | KA11740 |
| TSIOL-550-C | | S-1200 | S-1200 | 3/4-20 | KA11740 |